

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14685	Collier Ledge Lighted Isolated Danger Buoy DCL	41 35 42 N 70 21 06 W	Fl (2+1) R 6s		3	Black and red bands with (2) black spherical topmarks.	Replaced by can when endangered by ice.
	*					*	* 9/04
28040	- Lighted Buoy 7 At north edge of flats.	41 06 34 N 72 19 20 W	Fl G 4s		4	Green.	Replaced by can from Nov.15 to Apr.15.
		*					* 9/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
18603	WOODROW WILSON BRIDGE CONST. WARNING LIGHT A						Remove from list.
							* 9/04
18603.1	WARNING LIGHT B						Remove from list.
							* 9/04
18603.2	WARNING LIGHT C						Remove from list.
							* 9/04
18603.3	WARNING LIGHT D						Remove from list.
							* 9/04
22905	CRISFIELD HARBOR JUNCTION LIGHT CH	37 59 01 N 75 51 48 W	Fl (2+1) R 6s	15	3	JR on pile.	
					*		9/04
22910	Hop Point Daybeacon 1	37 59 07 N 75 51 37 W				SG on pile.	
		*					9/04
28127	- Channel Daybeacon 36C						Remove from list.
							* 9/04
29410	SHACKLEFORD SLUE JUNCTION LIGHT NR	34 41 29 N 76 38 02 W	Fl (2+1) R 6s	15	4	JR on pile.	
					*		9/04
32530	- WARNING LIGHT G	35 15 02 N 76 25 46 W	Fl W 2.5s	15	5	NW on multi-pile structure worded DANGER BOMBING RANGE.	
		*					9/04
34245	- LIGHT 2		Fl R 4s	15	3	TR on pile.	
				*	*		9/04
34535	CEDAR CREEK LIGHT 1		Fl G 4s	15	4	SG on pile.	
					*		9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34750	- Daybeacon 2	34 42 22 N 76 36 47 W				TR on pile.	
		*					9/04
	<b>Core Sound</b>						
34775	- LIGHT 59		FI G 4s	15	4	SG on pile.	
					*		9/04
	<b>ALBEMARLE SOUND TO NEUSE RIVER (Chart 11553)</b>						
	<b>Albemarle Sound</b>						
37825	- NORTH LIGHT N	36 06 06 N 75 54 45 W	Iso W 6s	21	6	NB-I on multipile structure.	
		*					9/04
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
	<b>Canaveral Harbor</b>						
9685.5	- Entrance Channel Lighted Buoy 14A	28 24 37 N 80 36 09 W	FI R 4s		3	Red.	
		*					9/04
	<b>PALM SHORES TO WEST PALM BEACH (Chart 11472)</b>						
	<b>Sebastian Inlet Channel</b>						
9730	- Buoy 1	27 51 18 N 80 27 24 W				Green can.	Private aid.
	*					*	9/04
9735	- Buoy 2					Red nun.	Private aid.
	*					*	9/04
9740	- Buoy 3					Green can.	Private aid.
	*					*	9/04
9745	- Buoy 4					Red nun.	Private aid.
	*					*	9/04
*12501.25	- Daybeacon 5A					SG on pile.	
							9/04
*12501.35	- Daybeacon 7A					SG on pile.	
							9/04
*12501.45	- Daybeacon 9A					SG on pile.	
							9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
17475	Gordon Pass North Jetty Obstruction Daybeacon	26 05 37 N 81 48 05 W				NW on pile worded DANGER SUBMERGED ROCK.	Private aid.
		*					9/04
*17477	Gordon Pass South Jetty Obstruction Daybeacon B	26 05 28 N 71 48 11 W				NW on pile worded DANGER SUBMERGED ROCK.	
							9/04
*17479	Gordon Pass South Jetty Obstruction Daybeacon C	26 05 30 N 81 48 10 W				NW on pile worded DANGER SUBMERGED ROCK.	
							9/04
17690	NAPLES SAILING CLUB WEST OBSTRUCTION LIGHT	26 08 18 N 81 47 24 W	FI W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid.
	*						9/04
17695	NAPLES SAILING CLUB EAST OBSTRUCTION LIGHT	26 08 18 N 81 47 18 W	FI W 6s	8		NW on pile worded CAUTION MOORING AREA.	Private aid.
	*						9/04
19970	La Costa Test Pile South Lighted Buoy		Q R			Red.	
	*	*		*	*	*	9/04
19975	La Coasta Test Pile North Lighted Buoy		Q R			Red.	
	*			*	*	*	9/04
22305	- Lighted Buoy 13		FI G 2.5s		4	Green.	
	*						9/04
22375	- Lighted Buoy 23						Remove from list.
							*
							9/04
22380	- Lighted Buoy 24						Remove from list.
							*
							9/04
22385	Mullet Key Shoal Daybeacon On south side of shoal.						Remove from list.
							*
							9/04
22390	- Lighted Buoy 25						Remove from list.
							*
							9/04
22395 60290	- Lighted Buoy 26						Remove from list.
							*
							9/04
23400	- Daybeacon 12						Remove from list.
							*
							9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME III LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
23405	- Daybeacon 13						<i>Remove from list.</i>
							* 9/04
23410	- Daybeacon 14						<i>Remove from list.</i>
							* 9/04
32025	- Lighted Buoy 6		Q R		4	Red.	
					*		9/04

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*664	Walter-116-2 Lighted Buoy Marks subsea installation.	28 21 07 N 90 32 42 W	FI W 2.5s			White with orange Bands.	SIGN: WALTER-ST239-2 Private aid.
							9/04
3930	CAUCUS CHANNEL RANGE FRONT LIGHT	30 19 34 N 87 18 44 W	Q G Q G	24 26	3	KRW on skeleton tower on piles.	Visible all around, higher intensity on range line.
		*		*			9/04
3935	CAUCUS CHANNEL RANGE REAR LIGHT 1,408 yards, 341.4° from front light.		Iso G 6s	67		KRW on skeleton tower.	Visible 2° each side of rangeline.
	*						9/04
10840	- Jetty Cut Daybeacon 4	29 39 30 N 89 21 50 W				TR on pile.	Ra ref.
		*					9/04
12360	- LIGHT 2 50 feet outside channel limit.	29 24 16 N 89 18 34 W	FI R 2.5s	17	4	TR on pile.	Ra ref.
		*					9/04
22690	- Entrance Channel Lighted Buoy 9 100 feet outside channel limit.	29 20 40 N 94 42 56 W	Q G		4	Green.	
		*					9/04
27805	Jewel Fulton Channel Daybeacon 1 20 feet outside channel limit.	27 50 34 N 97 13 54 W				SG on pile.	Ra ref.
		*					9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4155	Colorado Reef Lighted Buoy CR	37 31 14 N 122 31 37 W	FI R 2.5s		5	Red.	
		*					9/04
5160	- Buoy 10	37 35 02 N 122 15 15 W				Red nun.	
		*					9/04
<b>Redwood Creek</b>							
5180	- ENTRANCE LIGHT 2	37 33 10 N 122 11 48 W	Q R	15	4	TR on pile.	HORN: 1 blast ev 10s (1s bl). Operates continuously from Oct. 1 to Apr. 1. Higher intensity beam upstream Ra ref.
		*		*			9/04
5190	- ENTRANCE LIGHT 4	37 32 50 N 122 11 42 W	FI R 2.5s	15	4	TR on pile.	Ra ref.
		*					9/04
5195	- LIGHT 5	37 32 26 N 122 11 34 W	FI G 4s	15	3	SG on pile.	Ra ref.
		*					9/04
5215	- LIGHT 10	37 31 45 N 122 11 46 W	FI R 4s	15	3	TR on pile.	
		*					9/04
5230	- LIGHT 12	37 31 33 N 122 12 02 W	FI R 6s	15	4	TR on pile.	
		*					9/04
5240	- LIGHT 13	37 31 15 N 122 12 18 W	FI G 2.5s	15	3	SG on pile.	Ra ref.
		*					9/04
5250	- LIGHT 16	37 31 01 N 122 12 03 W	FI R 6s	15	4	TR on pile.	Ra ref.
		*					9/04
5260	- LIGHT 20	37 30 34 N 122 12 49 W	FI R 4s	15	3	TR on column.	Ra ref.
		*					9/04
<b>San Francisco Bay South Channel</b>							
5305	- LIGHT 16	37 29 34 N 122 05 13 W	FI R 4s	15	3	TR on pile.	Ra ref.
		*					9/04
5310	- LIGHT 17	37 28 43 N 122 04 37 W	FI G 4s	15	3	SG on pile.	Ra ref.
		*					9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
5315	- LIGHT 18	37 28 12 N 122 03 50 W	FI R 4s	15	3	TR on pile.	Ra ref.
		*					9/04
5635	- North Channel Buoy 15	37 56 14 N 122 26 48 W				Green can.	
		*					9/04
5730	- LIGHT 10	37 54 12 N 122 22 34 W	FI R 4s	15	4	TR on pile.	Ra ref.
		*					9/04
5740	POINT POTRERO REACH RANGE FRONT PASSING LIGHT 14	37 54 09 N 122 21 37 W	Q R	18	3	KRW on pile.	Visible 3° each side of rangeline.
		*					9/04
<b>LAKE CELILO (Chart 18533)</b>							
<b>The Dalles to John Day Dam</b>							
<b>The Dalles Dam</b>							
12135	- Buoy A Marks restricted area.	45 37 05 N 121 07 58 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12140	- Buoy B Marks restricted area.	45 37 07 N 121 07 45 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12145	- Buoy C Marks restricted area.	45 37 10 N 121 07 34 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12150	- Buoy D Marks restricted area.	45 37 12 N 121 07 26 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
<b>McNary Dam</b>							
<i>Buoys mark restricted area.</i>							
12820	- Buoy A	45 56 28 N 119 17 22 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
12825	- Buoy B	45 56 22 N 119 17 14 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12830	- Buoy C	45 56 15 N 119 17 14 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12835	- Buoy D	45 56 07 N 119 17 13 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12840	- Buoy E	45 56 01 N 119 17 18 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12845	- Buoy F	45 55 55 N 119 17 22 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12850	- Buoy G	45 55 50 N 119 17 26 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
12855	- Buoy H	45 55 46 N 119 17 34 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13230	- Buoy B Marks restricted area.	46 15 04 N 118 52 25 W				White can with orange bands and orange diamond with orange center cross, worded DAM.	
		*					9/04
13235	- Buoy C Marks restricted area.	46 15 00 N 118 52 13 W				White can with orange bands and orange diamond with orange center cross, worded DAM.	
		*					9/04
13240	- Buoy D Marks restricted area.	46 14 56 N 118 52 20 W				White can with orange bands and orange diamond with orange center cross, worded DAM.	
		*					9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13245	- Buoy E Marks restricted area.	46 14 52 N 118 52 35 W				White can with orange bands and orange diamond with orange center cross, worded DAM.	
		*					9/04
	<b>Lower Monumental Dam</b>						
	<i>Buoys mark restricted area.</i>						
13485	- Buoy A	46 35 49 N 118 31 59 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13490	- Buoy B	46 33 56 N 118 31 58 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13495	- Buoy C	46 34 01 N 118 32 03 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13500	- Buoy D	46 33 58 N 118 32 10 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13685	- Buoy B Marks restricted area.	46 35 04 N 118 01 17 W				White can with orange bands and diamond with orange center cross worded DAM.	
		*					9/04
13690	- Buoy C Marks restricted area.	46 35 11 N 118 01 12 W				White can with orange bands and diamond with orange center cross worded DAM.	
		*					9/04
13695	- Buoy D Marks restricted area.	46 35 18 N 118 01 13 W				White can with orange bands and diamond with orange center cross worded DAM.	
		*					9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.



## SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
<b>LOWER GRANITE LAKE (Chart 18548)</b>							
<b>Lower Granite Reservoir</b>							
<b>Lower Granite Dam</b>							
<i>Buoys mark restricted area.</i>							
13920	- Buoy A	46 39 29 N 117 25 29 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13925	- Buoy B	46 39 26 N 117 25 25 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13930	- Buoy C	46 39 21 N 117 25 18 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
13935	- Buoy D	46 39 19 N 117 25 20 W				White can with orange bands and orange diamond with orange center cross worded DAM.	
		*					9/04
15315	- Daybeacon 28	46 42 23 N 123 50 59 W				TR on pile.	
		*					9/04
28115	WAIAKEA LIGHT						<i>Remove from list.</i>
							*
							9/04
28480	- Lighted Buoy 3	20 52 16 N 156 40 50 W	FI G 4s			Green.	Private aid.
	*	*	*			*	9/04
28485	- Lighted Buoy 4		FI R 4s			Red.	Private aid.
	*		*			*	9/04
28490	- Lighted Buoy 5		FI G 4s			Green.	Private aid.
	*		*			*	9/04
28495	- Lighted Buoy 6		FI R 4s			Red.	Private aid.
	*		*			*	9/04
28500	- Lighted Buoy 7		FI G 4s			Green.	Private aid.
	*		*			*	9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
Denotes a new entry when preceding the station number.

## SECTION II

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28505	- <i>Lighted Buoy 8</i>		FI R 4s		Red.		Private aid.
	*		*			*	9/04

### CORRECTIONS TO C. G. LIGHT LIST, VOLUME VII LIGHT LIST, 2003

(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4220	- LIGHT 2		FI R 2.5s	30 9	10	TR on post.	
					*		9/04
4725	- RANGE FRONT LIGHT	41 28 36 N 82 41 48 W	Q G	33 10	9	KRW on skeleton tower.	Higher intensity on rangeline only.
							* 9/04
<b>*Add Note:</b>  <b>Thunder Bay National Marine Sanctuary</b>  *Buoys maintained May 1 through Oct 31.							
11346	TBNMS Wreck Mooring Buoy	44 53 49 N 83 19 39 W	FI W 1s			Mooring buoy.	"Neelie Gardner" Private aid.
							9/04
*11452	TBNMS Wreck Mooring Buoy	44 58 06 N 83 11 56 W	FI W 1s			Mooring buoy.	"Grecian (Stern)" Private aid.
							9/04
20810	- GENERATING STATION MIDDLE INTAKE CRIB LIGHT 4		FI R 10s	50 15		TR on rectangular tower.	Private aid.
	*						9/04

**Note:** Asterisks (\*) indicate that column(s) in which a correction has been made or new information added.  
 Denotes a new entry when preceding the station number.